

RG - MAP552(S)

V1.03

copyright © 2018



- <http://www.ruijie.com.cn/>
- <http://webchat.ruijie.com.cn>
- <http://www.ruijie.com.cn/service.aspx>
- 7 24 4008-111-000
- <http://bbs.ruijie.com.cn/portal.php>
-

1

1.1

RG-MAP552(S)

802.11ac

5

AM


24 12 Radio

24 12

100M

RG-MAP552(S)

	GB4943 EN60950-1 IEC60950-1
EMC	GB9254 GB17618 EN301 489-1 EN301 489-17 EN55022 EN55024
Health	EN 62311



AM

Uplink

AM

1.3 RG-MAP552(S)

MAP552(S)

	0.25Hz	2s	2s	AP	AP
	4	3.8s	0.2s	AP	AP
	2.5Hz			LED ON	

2

2.1



2.2

- AP
-
- 500m
-
-

2.3

- -10 45
- -40 70
- 5% 95%

2.4

MAP552(S)

2-1

21

μm	0.5	1	3	5
(/)	1.4×10^7	7×10^5	2.4×10^5	1.3×10^5

MAP552(S)

2-2

22

	mg/m ³	mg/m ³
SO ₂	0.2	1.5
H ₂ S	0.006	0.03
NO ₂	0.04	0.15
NH ₃	0.05	0.15
Cl ₂	0.01	0.3


2.5 EMI

-
- • •

-
-
-
-

3.3


- 1.
- 2.
- 3.
- 4.



- 9X25.4mm

- 4.2*20 (mm)

31



4

4.1

AM MAP552(S)

4.2

4.2.1

AM MAP552(S)

4.2.2

■ AP

5

5.1

AP

- 2.5Hz AP
- AP AP
- 0.25Hz 2s 2s AP AP
- 4 3.8s 0.2s AP AP

5.2

MAP552(S) AP AC

5.3

MAP552(S)


1)

-
-



6

6.1



6.2

1

2

LED

AP

AP

3

AP

AP

AP

AP

RG-MAP552(S)